

# Archbold Reserve Plant List

• denotes Florida endemic species, \* denotes Florida exotic species.

Family	Species	Common Name
--------	---------	-------------

## FERNS & FERN ALLIES

<b>Aspleniaceae</b>	<i>Asplenium</i> sp.	Spleenwort
<b>Azollaceae</b>	<i>Azolla filiculoides</i> Lam.	American Waterfern
<b>Blechnaceae</b>	<i>Blechnum serrulatum</i> Rich.	Toothed Midsorus Fern
	<i>Woodwardia areolata</i> (L.) T. Moore	Netted Chain Fern
	<i>Woodwardia virginica</i> (L.) Sm.	Virginia Chain Fern
<b>Dennstaedtiaceae</b>	<i>Pteridium aquilinum</i> (L.) Kuhn	Bracken Fern
<b>Dryopteridaceae</b>	<i>Dryopteris ludoviciana</i> (Kunze) Small	Southern Wood Fern
	<i>Polystichum acrostichoides</i> (Michx.) Schott	Christmas Fern
<b>Nephrolepidaceae</b>	<i>Nephrolepis exaltata</i> (L.) Schott	Sword Fern
<b>Osmundaceae</b>	<i>Osmunda cinnamomea</i> L.	Cinnamon Fern
	<i>Osmunda regalis</i> L. var. <i>spectabilis</i> (Willd.) A. Gray	Royal Fern
<b>Polypodiaceae</b>	<i>Campyloneurum phyllitidis</i> (L.) C. Presl	Long Strap Fern
	<i>Phlebodium aureum</i> (L.) J. Sm.	Golden Polypody
	* <i>Phymatosorus scolopendria</i> (Burm.f.) Pic. Serm.	Serpent Fern
	<i>Pleopeltis polypodioides</i> (L.) E.G. Andrews & Windham var. <i>michauxiana</i> (Weath.) E.G. Andrews & Windham	Resurrection Fern
<b>Schizaeaceae</b>	* <i>Lygodium microphyllum</i> (Cav.) R. Br.	Small-Leaf Climbing Fern
<b>Selaginellaceae</b>	<i>Selaginella arenicola</i> Underw.	Sand Spike-Moss
<b>Thelypteridaceae</b>	<i>Thelypteris interrupta</i> (Willd.) K. Iwats.	Hottentot Fern
	<i>Thelypteris palustris</i> Schott var. <i>pubescens</i> (G. Lawson) Fernald	Marsh Fern

## GYMNOSPERMS

<b>Pinaceae</b>	<i>Pinus clausa</i> (Chapm. ex Engelm.) Vasey ex Sarg.	Sand Pine
	<i>Pinus elliottii</i> Engelm.	Slash Pine
	<i>Pinus palustris</i> Mill.	Longleaf Pine

## MONOCOTS

<b>Agavaceae</b>	<i>Yucca filamentosa</i> L.	Adam's Needle
<b>Alismataceae</b>	<i>Sagittaria graminea</i> Michx.	Grassy Arrowhead
	<i>Sagittaria lancifolia</i> L.	Bulltongue Arrowhead
<b>Araceae</b>	<i>Arisaema triphyllum</i> L. (Schott)	Jack-in-the-Pulpit
<b>Arecaceae</b>	* <i>Roystonea</i> sp.	Royal Palm
	• <i>Sabal etonia</i> Swingle ex Nash	Scrub Palmetto
	<i>Sabal palmetto</i> (Walter) Lodd. ex Schult. & Schult. f.	Cabbage Palm
	<i>Serenoa repens</i> (W. Bartram) Small	Saw Palmetto
<b>Bromeliaceae</b>	<i>Tillandsia balbisiana</i> Schult. & Schult. f.	Northern Needleleaf
	<i>Tillandsia recurvata</i> (L.) L.	Ballmoss
	<i>Tillandsia setacea</i> Sw.	Southern Needleleaf
	<i>Tillandsia usneoides</i> (L.) L.	Spanish Moss
	<i>Tillandsia utriculata</i> L.	Giant Airplant

Family	Species	Common Name
<b>Commelinaceae</b>	<i>Commelina diffusa</i> Burm. f.	Common Dayflower
	<i>Commelina erecta</i> L.	Whitemouth Dayflower
	<i>Murdannia</i> sp.	Dewflower
	<i>Tradescantia</i> sp	Spiderwort
<b>Cyperaceae</b>	<i>Bulbostylis ciliatifolia</i> (Elliott) Fernald	Capillary Hairsedge
	<i>Bulbostylis warei</i> (Torr.) C.B. Clarke	Ware's Hairsedge
	<i>Carex alata</i> Torr.	Broadwing Sedge
	<i>Carex longii</i> Mack.	Long's Sedge
	<i>Cyperus croceus</i> Vahl	Baldwin's Flatsedge
	<i>Cyperus haspan</i> L.	Haspan Flatsedge
	<i>Cyperus lecontei</i> Torr. ex Steud.	Le Conte's Flatsedge
	<i>Cyperus odoratus</i> L.	Fragrant Flatsedge
	<i>Cyperus ovatus</i> Baldwin	Pine Barren Flatsedge
	<i>Cyperus polystachyos</i> Rottb.	Manyspike Flatsedge
	<i>Cyperus surinamensis</i> Rottb.	Tropical Flatsedge
	<i>Eleocharis baldwinii</i> (Torr.) Chapm.	Baldwin's Spikerush
	<i>Eleocharis melanocarpa</i> Torr.	Blackfruit Spikerush
	<i>Eleocharis vivipara</i> Link	Viviparous Spikerush
	<i>Fuirena scirpoidea</i> Michx.	Southern Umbrellasedge
	* <i>Kyllinga brevifolia</i> Rottb.	Shortleaf Spikesedge
	<i>Lipocarpha</i> sp.	Halfchaff Sedge
	<i>Rhynchospora cephalantha</i> A. Gray	Bunched Beaksedge
	<i>Rhynchospora fascicularis</i> (Michx.) Vahl	Fascicled Breaksedge
	<i>Rhynchospora galeana</i> Naczi et al.	Shortbristle Beaksedge
	<i>Rhynchospora inundata</i> (Oakes) Fernald	Narrowfruit Horned Beaksedge
	<i>Rhynchospora megalocarpa</i> A. Gray	Sandyfield Beaksedge
	<i>Rhynchospora microcarpa</i> Baldwin ex A. Gray	Southern Beaksedge
	<i>Rhynchospora microcephala</i> (Britton) Britton ex Small	Bunched Beaksedge
	<i>Rhynchospora miliacea</i> (Lam.) A. Gray	Millet Beaksedge
	<i>Rhynchospora tracyi</i> Britton	Tracy's Breaksedge
	<i>Scirpus</i> sp.	Bulrush
	<i>Scleria ciliata</i> Michx.	Fringed Nutrush
	<i>Scleria reticularis</i> Michx.	Netted Nutrush
	<i>Scleria triglomerata</i> Michx.	Tall Nutrush
<b>Eriocaulaceae</b>	<i>Eriocaulon decangulare</i> L.	Tenangle Pipewort
	<i>Lachnocaulon anceps</i> (Walter) Morong	Whitehead Bogbutton
<b>Juncaceae</b>	<i>Juncus effusus</i> L. subsp. <i>solutus</i> (Fernald & Wiegand) Hämet-Ahti	Soft Rush
	<i>Juncus marginatus</i> Rostk.	Grassleaf Rush
	<i>Juncus megacephalus</i> M.A. Curtis	Bighead Rush
	<i>Juncus repens</i> Michx.	Lesser Creeping Rush
	<i>Juncus scirpoides</i> Lam.	Needlepod Rush
<b>Liliaceae</b>	<i>Lilium catesbaei</i> Walter	Catesby's Lily
<b>Orchidaceae</b>	<i>Calopogon pallidus</i> Chapm.	Pale grasspink
	<i>Encyclia tampensis</i> (Lindl.) Small	Florida Butterfly Orchid
	<i>Eulophia alta</i> (L.) Fawc. & Rendle	Wild Coco

Family	Species	Common Name
Orchidaceae	<i>Habenaria floribunda</i> Lindl.	Toothpetal False Reinorchid
	<i>Pteroglossaspis ecristata</i> (Fernald) Rolfe	Giant Orchid
	<i>Spiranthes praecox</i> (Walter) S. Watson	Greenvein Ladiestresses
	<i>Spiranthes vernalis</i> Engelm. & A.Gray	Spring Ladiestresses
Poaceae	<i>Amphicarpum muehlenbergianum</i> (Schult.) Hitchc.	Muhlenberg Maidencane
	<i>Andropogon brachystachyus</i> Chapm.	Shortspike Bluestem
	<i>Andropogon glomeratus</i> (Walter) Britton et al.	Bushy Bluestem
	<i>Andropogon virginicus</i> L.	Broomsedge Bluestem
	<i>Andropogon virginicus</i> L. var. <i>glaucus</i> Hack.	Chalky Bluestem
	<i>Aristida gyrans</i> Chapm.	Corkscrew Threeawn
	• <i>Aristida patula</i> Chapm. ex Nash	Tall Threeawn
	<i>Aristida spiciformis</i> Elliott	Bottlebrush Threeawn
	<i>Aristida stricta</i> var. <i>beyrichiana</i> (Trin. & Rupr.) D.B. Ward	Wiregrass
	<i>Axonopus fissifolius</i> (Raddi) Kuhlm.	Common Carpetgrass
	<i>Axonopus furcatus</i> (Flüggé) Hitchc.	Big Carpetgrass
	* <i>Cynodon dactylon</i> (L.) Pers.	Bermudagrass
	* <i>Dactyloctenium aegyptium</i> (L.) Willd. ex Asch. & Schweinf.	Durban Crowfootgrass
	<i>Dichantherium dichotomum</i> (L.) Gould	Cypress Witchgrass
	<i>Dichantherium ensifolium</i> var. <i>ensifolium</i> (Baldwin ex Elliott) Gould	
	<i>Dichantherium portoricense</i> (Desv. ex Ham.) B.F. Hansen & Wunderlin	Hemlock Witchgrass
	<i>Digitaria serotina</i> (Walter) Michx.	Blanket Crabgrass
	<i>Eragrostis elliottii</i> S.Watson	Field Lovegrass
	<i>Eragrostis virginica</i> (Zuccagni) Steud.	Coastal Lovegrass
	* <i>Hemarthria altissima</i> (Poir.) Stapf & C.E. Hubb.	Limpograss
	* <i>Imperata cylindrica</i> (L.) P. Beauv.	Cogongrass
	• <i>Panicum abscissum</i> Swallen	Cutthroat Grass
	<i>Panicum hemitomom</i> Schult.	Maidencane
	<i>Panicum longifolium</i> Torr.	
	* <i>Panicum maximum</i> Jacq.	Guineagrass
	* <i>Panicum repens</i> L.	Torpedograss
	<i>Panicum verrucosum</i> Muhl.	Warty Panicgrass
	<i>Paspalum blodgettii</i> Chapm.	Blodgett's Crowngrass
	* <i>Paspalum notatum</i> Flüggé	Bahiagrass
	<i>Paspalum setaceum</i> Michx.	Thin Paspalum
	* <i>Paspalum urvillei</i> Steud.	Vaseygrass
	* <i>Melinis repens</i> (Willd.) Zizka	Rose Natalgrass
	<i>Saccharum giganteum</i> (Walter) Pers.	Sugarcane Plumegrass
	<i>Schizachyrium scoparium</i> (Michx.) Nash.	Little bluestem
	<i>Setaria parviflora</i> (Poir.) Kerguélen	Knotroot Foxtail
	<i>Spartina bakeri</i> Merr.	Sand Cordgrass
	* <i>Sporobolus indicus</i> (L.) R. Br.	Smutgrass
	<i>Stenotaphrum secundatum</i> (Walter) Kuntze	St. Augustinegrass
	* <i>Urochloa mutica</i> (Forssk.) T.Q. Nguyen	Paragrass
	* <i>Urochloa distachya</i> (L.) T.Q. Nguyen	Tropical Signalgrass

Family	Species	Common Name
<b>Xyridaceae</b>	<i>Xyris brevifolia</i> Michx.	Shortleaf Yelloweyed Grass
	<i>Xyris caroliniana</i> Walter	Carolina Yelloweyed Grass
	<i>Xyris elliotii</i> Chapm.	Elliott's Yelloweyed Grass
	<i>Xyris fimbriata</i> Elliott	Fringed Yelloweyed Grass
	<i>Xyris flabelliformis</i> Chapm.	Savannah Yelloweyed Grass
	<i>Xyris platylepis</i> Chapm.	Tall Yelloweyed Grass
	<i>Xyris smalliana</i> Nash	Small's Yelloweyed Grass

### DICOTS

<b>Adoxaceae</b>	<i>Sambucus nigra</i> L. subsp. <i>canadensis</i> (L.) Bolli	Elderberry
	<i>Viburnum nudum</i> L.	Possumhaw
<b>Amaranthaceae</b>	* <i>Amaranthus blitum</i> L.	Purple Amaranth
	<i>Froelichia floridana</i> (Nutt.) Moq.	Cottonweed
<b>Anacardiaceae</b>	<i>Rhus copallinum</i> L.	Winged Sumac
	* <i>Schinus terebinthifolius</i> Raddi	Brazilian Peppertree
	<i>Toxicodendron radicans</i> (L.) Kuntze	Eastern Poison Ivy
<b>Annonaceae</b>	<i>Asimina obovata</i> (Willd.) Nash	Bigflower Pawpaw
	<i>Asimina reticulata</i> Shuttlew. ex Chapm.	Netted Pawpaw
<b>Apiaceae</b>	<i>Centella asiatica</i> (L.) Urb.	Spadeleaf
	<i>Hydrocotyle umbellata</i> L.	Manyflower Marshpennywort
	<i>Ptilimnium capillaceum</i> (Michx.) Raf.	Mock Bishopsweed
	<i>Tiedemannia filiformis</i> (Walter) Feist & S.R. Downie	Water Cowbane
<b>Apocynaceae</b>	• <i>Asclepias curtissii</i> A. Gray	Curtiss' Milkweed
	<i>Asclepias pedicellata</i> Walter	Savannah Milkweed
<b>Aquifoliaceae</b>	<i>Ilex cassine</i> L.	Dahoon
	<i>Ilex glabra</i> (L.) A. Gray	Gallberry
	• <i>Ilex opaca</i> Aiton var. <i>arenicola</i> (Ashe) Ashe	Scrub Holly
<b>Araceae</b>	<i>Arisaema triphyllum</i> (L.) Schott	Jack-in-the-Pulpit
	<i>Lemna valdiviana</i> Phil.	Valdivia Duckweed
	<i>Peltandra sagittifolia</i> (Michx.) Morong	White Arrow Arum
	<i>Peltandra virginica</i> (L.) Schott	Green Arrow Arum
<b>Asteraceae</b>	<i>Ambrosia artemisiifolia</i> L.	Common Ragweed
	<i>Aster</i> sp.	Aster
	<i>Baccharis halimifolia</i> L.	Saltbush
	<i>Balduina angustifolia</i> (Pursh) B.L. Rob.	Coastalplain Honeycombhead
	<i>Bidens laevis</i> (L.) Britton et al.	Smooth Beggarticks
	<i>Bidens mitis</i> (Michx.) Sherff	Smallfruit Beggarticks
	* <i>Bidens pilosa</i> L.	Spanish Needles
	<i>Carphephorus odoratissimus</i> (J.F. Gmel.) H. Hebert	Vanillaleaf Chaffhead
	<i>Carphephorus paniculatus</i> (J.F. Gmel.) H. Hebert	Hairy Chaffhead

Family	Species	Common Name
<b>Asteraceae</b>	<i>Carphephorus</i> sp.	Chaffhead
	<i>Cirsium horridulum</i> Michx.	Purple Thistle
	<i>Cirsium nuttallii</i> DC.	Nuttall's Thistle
	<i>Eclipta prostrata</i> (L.) L.	False Daisy
	<i>Elephantopus elatus</i> Bertol.	Tall Elephantsfoot
	* <i>Emilia fosbergii</i> Nicolson	Florida Tasselflower
	<i>Erigeron vernus</i> (L.) Torr. & A. Gray	Early Whitetop Fleabane
	<i>Eupatorium capillifolium</i> (Lam.) Small ex Porter & Britton	Dogfennel
	<i>Eupatorium leptophyllum</i> DC.	Falsefennel
	<i>Eupatorium mohrii</i> Greene	Mohr's Thoroughwort
	<i>Euthamia caroliniana</i> (L.) Greene ex Porter & Britton	Slender Flattop Goldenrod
	<i>Gamochaeta purpurea</i> (L.) Cabrera	Spoonleaf Purple Everlasting
	• <i>Garberia heterophylla</i> (W. Bartram) Merr. & F. Harper	Garbaria
	<i>Hartwrightia floridana</i> A. Gray ex S. Watson	Hartwrightia floridana
	• <i>Liatris ohlingerae</i> (S.F.Blake) B.L.Rob.	Florida Gayfeather
	<i>Liatris tenuifolia</i> Nutt.	Shortleaf Gayfeather
	<i>Lygodesmia aphylla</i> (Nutt.) DC.	Rose-Rush
	<i>Mikania scandens</i> (L.) Willd.	Climbing Hempvine
	<i>Oclemena reticulata</i> (Pursh) G.L. Nesom	Whitetop Aster
	<i>Pityopsis graminifolia</i> (Michx.) Nutt.	Narrowleaf Silkgrass
	<i>Pluchea foetida</i> (L.) DC.	Stinking Camphorweed
	<i>Pluchea odorata</i> (L.) Cass.	Sweetscent
	<i>Pseudognaphalium obtusifolium</i> (L.) Hillard & B.L. Burt	Sweet Everlasting
	<i>Pterocaulon pycnostachyum</i> (Michx.) Elliott	Blackroot
<i>Solidago fistulosa</i> Mill.	Pinebarren Goldenrod	
<i>Solidago odora</i> Aiton	Sweet Goldenrod	
<b>Brassicaceae</b>	<i>Lepidium virginicum</i> L.	Virgina Pepperweed
	<i>Polanisia tenuifolia</i> Torr. & A. Gray	Slenderleaf Clammyweed
<b>Cactaceae</b>	<i>Opuntia humifusa</i> (Raf.) Raf.	Pricklypear
<b>Campanulaceae</b>	<i>Lobelia glandulosa</i> Walter	Glade Lobelia
	<i>Lobelia paludosa</i> Nutt.	White Lobelia
<b>Caryophyllaceae</b>	<i>Paronychia americana</i> (Nutt.) Fenzl ex Walp.	American Nailwort
	• <i>Paronychia chartacea</i> Fernald	Paper Nailwort
	<i>Paronychia herniarioides</i> (Michx.) Nutt.	Coastalplain Nailwort
	<i>Stipulicida setacea</i> Michx.	Pineland Scalypink
<b>Chrysobalanaceae</b>	<i>Licania michauxii</i> Prance	Gopher Apple
<b>Cistaceae</b>	<i>Helianthemum nashii</i> Britton	Florida Scrub Frostweed
	• <i>Lechea cernua</i> Small	Nodding Pinweed
	<i>Lechea deckertii</i> Small	Deckert's Pinweed
	<i>Lechea torreyi</i> (Chapm.) Legg. ex Britton	Piedmont Pinweed
<b>Clusiaceae</b>	<i>Hypericum brachyphyllum</i> (Spach) Steud.	Coastalplain St. John's-Wort
	<i>Hypericum cistifolium</i> Lam.	Roundpod St. John's-Wort

Family	Species	Common Name
<b>Clusiaceae</b>	• <i>Hypericum cumulicola</i> (Small) W.P. Adams	Highlands Scrub St. John's-Wort
	• <i>Hypericum edisonianum</i> (Small) W.P. Adams & N. Robson	Edison's St. John's-Wort
	<i>Hypericum fasciculatum</i> Lam.	Peelbark St. John's-Wort
	<i>Hypericum gentianoides</i> (L.) Britton et al.	Orangegrass
	<i>Hypericum hypericoides</i> (L.) Crantz	St. Andrew's-Cross
	<i>Hypericum mutilum</i> L.	Dwarf St. John's-Wort
	<i>Hypericum tenuifolium</i> Pursh	Atlantic St. John's-Wort
	<i>Hypericum tetrapetalum</i> Lam.	Fourpetal St. John's-Wort
	<i>Triadenum virginicum</i> (L.) Raf.	Virginia Marsh St. John's-wort
<b>Cucurbitaceae</b>	<i>Melothria pendula</i> L.	Creeping Cucumber
	* <i>Momordica charantia</i> L.	Balsampear
<b>Cupressaceae</b>	<i>Juniperus virginiana</i> L.	Red Cedar
<b>Droseraceae</b>	<i>Drosera capillaris</i> Poir.	Pink Sundew
<b>Ebenaceae</b>	<i>Diospyros virginiana</i> L.	Common Persimmon
<b>Ericaceae</b>	<i>Bejaria racemosa</i> Vent.	Tarflower
	<i>Ceratiola ericoides</i> Michx.	Florida Rosemary
	<i>Gaylussacia dumosa</i> (Andrews) Torr. & A. Gray	Dwarf Huckleberry
	<i>Gaylussacia frondosa</i> (L.) Torr. & A. Gray ex Torr. var. <i>tomentosa</i> A. Gray	Blue Huckleberry
	<i>Lyonia ferruginea</i> (Walter) Nutt.	Rusty Staggerbush
	<i>Lyonia fruticosa</i> (Michx.) G.S. Torr.	Coastalplain Staggerbush
	<i>Lyonia ligustrina</i> (L.) DC. var. <i>foliosiflora</i> (Michx.) Fernald	Maleberry
	<i>Lyonia lucida</i> (Lam.) K. Koch	Fetterbush
	<i>Rhododendron viscosum</i> (L.) Torr.	Swamp Azalea
	<i>Vaccinium corymbosum</i> L.	Highbush Blueberry
	<i>Vaccinium darrowii</i> Camp	Darrow's Blueberry
	<i>Vaccinium myrsinites</i> Lam.	Shiny Blueberry
	<i>Vaccinium stamineum</i> L.	Deerberry
<b>Eriocaulaceae</b>	<i>Syngonanthus flavidulus</i> (Michx.) Ruhland	Yellow Hatpins
<b>Euphorbiaceae</b>	<i>Chamaesyce blodgettii</i> (Engelm. ex Hitchc.) Small	Limestone Sandmat
	<i>Cnidoscolus stimulosus</i> (Michx.) Engelm. & A. Gray	Tread-softly
	<i>Croton michauxii</i> G.L. Webster	Rushfoil
	<i>Euphorbia floridana</i> Chapm.	Greater Florida Spurge
	• <i>Euphorbia rosescens</i> E.L.Bridges & Orzell	Florida Rose Spurge
<b>Fabaceae</b>	* <i>Alysicarpus ovalifolius</i> (Schumach. & Thonn.) J. Léonard	False Moneywort
	<i>Chamaecrista fasciculata</i> (Michx.) Greene	Partridge Pea
	• <i>Chapmannia floridana</i> Torr. & A. Gray	Florida Alicia
	• <i>Clitoria fragrans</i> Small	Sweetscented Pigeonwings
	<i>Crotalaria rotundifolia</i> J.F. Gmel.	Rabbitbells
	* <i>Dalbergia sissoo</i> Roxb. ex DC.	Indian Rosewood
	<i>Dalea feayi</i> (Chapm.) Barneby	Feay's Prairieclover
	<i>Dalea pinnata</i> (J.F. Gmel.) Barneby	Summer Farewell

Family	Species	Common Name
<b>Fabaceae</b>	* <i>Desmodium incanum</i> DC.	Zarabacoa Cumin
	* <i>Desmodium triflorum</i> (L.) DC.	Threeflower Ticktrefoil
	<i>Galactia elliottii</i> Nutt.	Elliott's Milkpea
	<i>Galactia regularis</i> (L.) Britton et al.	Downy Milkpea
	* <i>Indigofera hirsuta</i> L.	Hairy Indigo
	<i>Lupinus</i> sp.	Lupine
	<i>Mimosa quadrivalvis</i> L.	Sensitive Brier
	<i>Senna obtusifolia</i> (L.)H.S.Irwin & Barneby	Sicklepod
	* <i>Trifolium</i> sp.	Clover
<b>Fagaceae</b>	<i>Quercus chapmanii</i> Sarg.	Chapman's Oak
	<i>Quercus geminata</i> Small	Sand Live Oak
	• <i>Quercus inopina</i> Ashe	Scrub Oak
	<i>Quercus laurifolia</i> Michx.	Laurel Oak
	<i>Quercus marilandica</i> Münchh.	Blackjack Oak
	<i>Quercus minima</i> (Sarg.) Small	Dwarf Live Oak
	<i>Quercus myrtifolia</i> Willd.	Myrtle Oak
	<i>Quercus nigra</i> L.	Water Oak
	<i>Quercus virginiana</i> Mill.	Live Oak
	<i>Quercus</i> x ( <i>nigra</i> x <i>laurifolia</i> )	Hybrid oak
<b>Gentianaceae</b>	<i>Sabatia brevifolia</i> Raf.	Shortleaf Rosegentian
	<i>Sabatia difformis</i> (L.) Druce	Lanceleaf Rosegentian
<b>Haemodoraceae</b>	<i>Lachnanthes carolina</i> (Lam.) Dandy	Carolina Redroot
<b>Haloragaceae</b>	<i>Proserpinaca pectinata</i> Lam.	Mermaid-weed
<b>Hydrocharitaceae</b>	<i>Limnobium spongia</i> (Bosc) Rich. ex Steud.	Forg's-Bit
<b>Iridaceae</b>	<i>Sisyrinchium xerophyllum</i> Greene	Jeweled Blueeyed Grass
<b>Iteaceae</b>	<i>Itea virginica</i> L.	Virginia Willow
<b>Juglandaceae</b>	<i>Carya floridana</i> Sarg.	Scrub Hickory
<b>Lamiaceae</b>	<i>Calamintha ashei</i> (Weath.) Shinnery	Ashe's Calamint
	<i>Callicarpa americana</i> L.	American Beautyberry
	* <i>Cinnamomum camphora</i> (L.) J. Presl	Camphortree
	<i>Conradina canescens</i> A. Gray	False Rosemary
	<i>Persea borbonia</i> (L.) Spreng.	Red Bay
	<i>Persea palustris</i> (Raf.) Sarg.	Swamp Bay
	<i>Piloblephis rigida</i> (W. Bartram ex Benth.) Raf.	Wild Pennyroyal
	<i>Trichostema dichotomum</i> L.	Forked Bluecurls
<b>Lentibulariaceae</b>	<i>Utricularia subulata</i> L.	Zigzag Bladderwort
<b>Linderniaceae</b>	<i>Micranthemum</i> sp.	Baby's Tears
	* <i>Lindernia crustacea</i> (L.) F. Muell.	Malaysian False Pimpernel
	<i>Lindernia grandiflora</i> Nutt.	Savannah False Pimpernel
<b>Lythraceae</b>	* <i>Cuphea carthagenensis</i> (Jacq.) J.F. Macbr.	Colombian Waxweed
<b>Magnoliaceae</b>	<i>Magnolia virginiana</i> L.	Sweetbay
<b>Malvaceae</b>	<i>Sida acuta</i> Burm. F.	Broomweed
	* <i>Sida cordifolia</i> L.	Sida
	<i>Sida elliottii</i> Torr. & A. Gray	Elliott's Fanpetals

Family	Species	Common Name
<b>Malvaceae</b>	* <i>Urena lobata</i> L.	Caesarweed
<b>Melastomataceae</b>	<i>Rhexia mariana</i> L.	Pale Meadowbeauty
	<i>Rhexia nashii</i> Small	Maid Marian
<b>Melastomataceae</b>	<i>Rhexia nuttallii</i> C.W. James	Nuttall's Meadowbeauty
<b>Menyanthaceae</b>	<i>Nymphoides aquatica</i> (J.F. Gmel.) Kuntze	Big Floatingheart
<b>Myricaceae</b>	<i>Myrica cerifera</i> L.	Southern Bayberry
<b>Myrtaceae</b>	* <i>Eucalyptus</i> sp.	Eucalyptus
<b>Nymphaeaceae</b>	<i>Nuphar advena</i> (Aiton) W.T. Aiton	Spatterdock
<b>Oleaceae</b>	• <i>Cartrema floridana</i> (Chapm.) G.L. Nesom	Scrub Wild Olive
<b>Onagraceae</b>	<i>Ludwigia alata</i> Elliott	Winged Primrosewillow
	<i>Ludwigia arcuata</i> Walter	Piedmont Primrosewillow
	<i>Ludwigia leptocarpa</i> (Nutt.) H. Hara	Anglestem Primrosewillow
	<i>Ludwigia microcarpa</i> Michx.	Smallfruit Primrosewillow
	<i>Ludwigia octovalvis</i> (Jacq.) P.H. Raven	Mexican Primrosewillow
	<i>Ludwigia palustris</i> (L.) Elliott	Marsh Seedbox
	* <i>Ludwigia peruviana</i> (L.) H.Hara	Peruvian Primrosewillow
	<i>Ludwigia repens</i> J.R. Forst.	Creeping Primrosewillow
<b>Orobanchaceae</b>	<i>Agalinis filifolia</i> (Nutt.) Raf.	Seminole False Foxglove
	<i>Buchnera americana</i> L.	American Bluehearts
<b>Oxalidaceae</b>	<i>Oxalis corniculata</i> L.	Common Yellow Woodsorrel
<b>Phytolaccaceae</b>	<i>Phytolacca americana</i> L.	American Pokeweed
<b>Plantaginaceae</b>	<i>Bacopa caroliniana</i> (Walter) B.L. Rob.	Blue Waterhyssop
	<i>Bacopa monnieri</i> (L.) Pennell	Herb-of-Grace
	<i>Gratiola hispida</i> (Benth. ex Lindl.) Pollard	Rough Hedgehyssop
	<i>Gratiola ramosa</i> Walter	Branched Hedgehyssop
	* <i>Limnophila sessiliflora</i> Blume	Asian Marshweed
	<i>Linaria canadensis</i> (L.) Chaz.	Canada Toakflax
	<i>Scoparia dulcis</i> L.	Sweetbroom
<b>Polygalaceae</b>	<i>Polygala nana</i> (Michx.) DC.	Candyroot
	• <i>Polygala rugelii</i> Shuttlew. ex Chapm.	Yellow Milkwort
	<i>Polygala setacea</i> Michx.	Coastalplain Milkwort
<b>Polygonaceae</b>	• <i>Polygonella basiramia</i> (Small) G.L. Nesom & V.M. Bates	Florida Jointweed
	<i>Polygonella gracilis</i> Meisn.	Tall Jointweed
	<i>Polygonella polygama</i> (Vent.) Engelm. & A. Gray	October Flower
	• <i>Polygonella robusta</i> (Small) G.L. Nesom & V.M. Bates	Largeflower Jointweed
	<i>Polygonum hirsutum</i> Walter	Hairy Smartweed
	<i>Polygonum hydropiperoides</i> Michx.	Mild Waterpepper
	<i>Polygonum pensylvanicum</i> L.	Pennsylvania Smartwed
	<i>Polygonum punctatum</i> Elliott	Dotted smartweed
<b>Pontederiaceae</b>	<i>Pontederia cordata</i> L.	Pickerelweed
<b>Portulacaceae</b>	<i>Portulaca pilosa</i> L.	Pink Purslane
<b>Ranunculaceae</b>	• <i>Clematis baldwinii</i> Torr. & A. Gray	Pine-Hyacinth
<b>Rosaceae</b>	<i>Photinia pyrifolia</i> (Lam.) K.R. Robertson & J.B. Phipps	Red Chokeberry
	• <i>Prunus geniculata</i> R.M. Harper	Scrub Plum



Family	Species	Common Name
<b>Rosaceae</b>	<i>Rubus trivialis</i> Michx.	Southern Dewberry
	<i>Rubus cuneifolius</i> Pursh	Sand Blackberry
	<i>Rubus pensilvanicus</i> Poir.	Sawtooth Blackberry
	<i>Rubus trivialis</i> Michx.	Southern Dewberry
<b>Rubiaceae</b>	<i>Diodia teres</i> Walter	Rough Buttonweed
	<i>Diodia virginiana</i> L.	Virginia Buttonweed
	<i>Galium</i> sp.	Bedstraw
	<i>Houstonia procumbens</i> (J.F. Gmel.) Standl.	Roundleaf Bluet
	* <i>Oldenlandia corymbosa</i> L.	Flattop Mille Graines
	<i>Oldenlandia uniflora</i> L.	Clustered Mille Graines
	<i>Psychotria sulzneri</i> Small	Shortleaf Wild Coffee
	* <i>Richardia brasiliensis</i> Gomes	Tropical Mexican Clover
* <i>Richardia scabra</i> L.	Rough Mexican Clover	
<b>Salicaceae</b>	<i>Salix caroliniana</i> Michx.	Carolina Willow
<b>Samolaceae</b>	<i>Samolus valerandi</i> L. subsp. <i>parviflorus</i> (Raf.) Hultén	Pineland Pimpernel
<b>Sapindaceae</b>	<i>Acer rubrum</i> L.	Red Maple
	* <i>Cupaniopsis anacardioides</i> (A. Rich.) Radlk.	Carrotwood
<b>Sapotaceae</b>	<i>Sideroxylon tenax</i> L.	Tough Bully
<b>Smilacaceae</b>	<i>Smilax auriculata</i> Walter	Earleaf Greenbrier
	<i>Smilax laurifolia</i> L.	Laurel Greenbrier
<b>Solanaceae</b>	<i>Physalis angulata</i> L.	Cutleaf Groundcherry
	<i>Physalis arenicola</i> Kearney	Cypresshead Groundcherry
	* <i>Solanum viarum</i> Dunal	Tropical Soda Apple
<b>Tetrachondraceae</b>	<i>Polypremum procumbens</i> L.	Rustweed
<b>Theaceae</b>	<i>Gordonia lasianthus</i> (L.) J. Ellis	Loblolly Bay
<b>Typhaceae</b>	<i>Typha latifolia</i> L.	Broadleaf Cattail
<b>Ulmaceae</b>	<i>Ulmus americana</i> L.	American Elm
<b>Urticaceae</b>	<i>Boehmeria cylindrica</i> (L.) Sw.	False Nettle
<b>Verbenaceae</b>	* <i>Lantana camara</i> L.	Lantana
	<i>Phyla nodiflora</i> (L.) Greene	Turkey Tangle Frogfruit
<b>Violaceae</b>	<i>Viola</i> sp.	Violet
<b>Vitaceae</b>	<i>Parthenocissus quinquefolia</i> (L.) Planch.	Virginia Creeper
	<i>Vitis rotundifolia</i> Michx.	Muscadine
<b>Ximeniaceae</b>	<i>Ximenia americana</i> L.	Hog Plum

Initial botanical survey of the Archbold Reserve in Venus, FL, was completed in 2005 by E.L. Bridges and S.L. Orzell and was subsequently added to by the staff of Archbold Biological Station. This edition was compiled by R. Tucker in 2016.

Family, accepted species name, and authorship for each entry based on Wunderlin, R. P., and B. F. Hansen. 2008. *Atlas of Florida Vascular Plants* (<http://www.plantatlas.usf.edu/>). [S. M. Landry and K. N. Campbell (application development), Florida Center for Community Design and Research.] Institute for Systematic Botany, University of South Florida, Tampa.

Some invasive or non-native species information is based on USDA, NRCS. 2013. The PLANTS Database (<http://plants.usda.gov>, 14 August 2013). National Plant Data Team, Greensboro, NC 27401-4901 USA.